

Journal of Magnetic Resonance

EDITOR : Wallace S. Brey, Jr.

EDITORIAL BOARD :

Jay M. Anderson	Richard Ernst	George C. Levy
E. Raymond Andrew	Ray Freeman	Ralph Livingston
F. A. L. Anet	David M. Grant	H. M. McConnell
Edwin D. Becker	R. K. Harris	Rex E. Richards
H. J. Bernstein	K. H. Hausser	Max T. Rogers
A. David Buckingham	Paul S. Hubbard	Thomas A. Scott
S. M. Castellano	Charles S. Johnson, Jr.	Bernard L. Shapiro
P. Diehl	Masaji Kubo	J. B. Stothers

Volume 17, 1975



ACADEMIC PRESS
New York and London

A Subsidiary of Harcourt Brace Jovanovich, Publishers

Copyright © 1975 by Academic Press, Inc.

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

Made in Great Britain

CONTENTS OF VOLUME 17

NUMBER 1, JANUARY 1975

DIETER WOLF. High-Field Nuclear Spin Relaxation by a Random-Walk Diffusion Mechanism in Single Crystals	1
P. SMITH, R. A. KABA, AND J. T. PEARSON. EPR Study of Radicals from Cyanoalkenes and Hydracrylonitrile	20
M. R. SMITH AND H. A. BUCKMASTER. The Analysis of Noisy Exponential Decays	29
H. S. SANDHU. Coefficient of Self-Diffusion in Liquids Using Pulsed NMR Techniques	34
L. C. GUPTA, R. VIJAYARAGHAVAN, S. D. DAMLE, U. R. K. RAO, LE DANG KHOI, AND P. VEILLET. Magnetic Resonance Studies in Rb_2CuF_4	41
C. GOOIJER, D. M. DE LEEUW, AND C. MACLEAN. ESR Spectra of the Sodium Cationic Triple Ions of Pyrazine and of Tetramethylpyrazine. The Asymmetry in the Sodium Septet	46
JOHN M. BRIGGS, ERKKI J. RAHKAMAA, AND EDWARD W. RANDALL. Proton Magnetic Resonance Studies of Pyrrole- ^{15}N Oriented in Nematic Solvents	55
JÜRGEN HÜTTERMANN. Electron Spin Resonance of Free Radicals, V-Centers, and Electrons Trapped in Irradiated Crystals of Adenine Hydrochlorides	66
I. D. DUFF AND W. DERBYSHIRE. NMR of Frozen Agarose Gels	89
J. F. HINTON AND L. W. JAQUES. ^{19}F , ^{13}C and ^1H NMR Investigations of Alkanes and Alkenes. III. 2-Chloro-1,4-dibromo-1,2,2-trifluorobutane.	95
INGEBORG I. M. SCHUSTER. Substituent Effects on the ^{13}C - ^{19}F Coupling Constants of Substituted Benzotrifluorides, Aryl Trifluoromethyl Ethers, and Aryl Trifluoromethyl Sulfides	104
JAMES G. LINDBERG, GEORGE Y. SUGIYAMA, AND RONALD L. MELLGREN. Quantitative Estimation of Steric Effects. Part II. Substituent Constants and Steric Contributions to the Chemical Shifts of Methyl Group Protons in Ring Chlorinated Methylbenzenes	112
P. VENKATACHARYULU AND D. PREMASWARUP. Crystal Structure and Bond Character Study of 2,4-Dichloroacetanilide by NQR	117

COMMUNICATIONS

J. W. AKITT AND C. G. SAVORY. ^{11}B Fourier-Transform NMR of the Small <i>nido</i> -Carboranes, $\text{C}_2\text{R}_2\text{B}_4\text{H}_6$. Use of Computer Line Narrowing	122
---	-----

S. EMID AND R. A. WIND. Saturation Broadening and Narrowing in Solids	125
EDDIE S. MOOBERRY AND THOMAS R. KRUGH. Proton Fourier-Transform NMR Spectroscopy in H ₂ O Solutions	128
STEPHEN B. MARKS, RUTH POTASHNIK, AND SHAUL D. GOREN. The Oriented PMR Spectrum of Methanol Dissolved in a Nematic Solvent	132
N. M. ATHERTON AND S. J. STRACH. Environment Dependence of Proton Hyperfine Coupling in a Nitroxide Radical	134

NUMBER 2, FEBRUARY 1975

S. D. PANDEY AND PUTCHA VENKATESWARLU. Electron Paramagnetic Resonance of Vanadyl-Doped Ammonium Sulfate Single Crystals	137
CHI-YU LEE AND MATTHEW J. RASZKA. Determination of Solution Structure of Diphosphopyridine Coenzymes with Paramagnetic Shift and Broadening Reagents	151
G. M. ZHIDOMIROV, I. A. ABRONIN, I. D. MICHEIKIN, AND N. D. CHUVYLKIN. Calculation of Isotropic Hyperfine Coupling Constants in Cyclobutyl Radical	161
TECK S. PANG AND SOON NG. Measurement of Hydrogen Bonding to Pyridine and Its Alkyl Derivatives by NMR Spectrometry	166
R. K. HARRIS AND B. J. KIMBER. ²⁹ Si and ¹³ C Nuclear Magnetic Resonance Studies of Organosilicon Chemistry. I. Trimethylsilyl Compounds	174
BANI KRISHNAMURTHY AND K. P. SINHA. Mössbauer Lineshape in the Presence of NMR Transitions	189
HOWARD REGINALD FALLE AND FREDERICK PETER SARGENT. Conformation Dependence of the ESR Spectra of -CH ₂ ĊHCH ₂ - Ammonium Ion Radicals in 6 M H ₂ SO ₄ Glasses	193
C. VON BORCZYKOWSKI, K. MÖBIUS, AND M. PLATO. ENDOR Investigation of Restricted Rotation of Phenyl Rings in Silacyclopentadiene Anion Radicals	202
MOTOMICHI INOUE, SHUJI EMORI, KEN-ICHI HARA, AND MASAJI KUBO. Broad-line PMR Spectra and Magnetic Susceptibilities of Copper(II) Complexes of Pyrazine	212
C. CISTARO, G. FRONZA, R. MONDELLI, S. BRADAMANTE, AND G. A. PAGANI. NMR Study of Four-Membered Rings. VII. Preferential Axial Orientation of Groups in 3-Substituted Thietane-1,1-Dioxides	219
WOLFGANG BUCHNER. Cross Correlations and the Nuclear Overhauser Effect of ¹³ C Nuclei in Rotating Methyl Groups	229

J. W. EMSLEY AND J. TABONY. The Quadrupole Coupling Constants of Deuterium in $\text{CH}_2\text{DCH}_2\text{Br}$ and $\text{CH}_3\text{CD}_2\text{Br}$ Obtained from NMR of Nematic Phases and Including Vibrational Averaging	233
WILLIAM M. LITCHMAN, ALBERT E. ZUNE, AND ULRICH HOLLSTEIN. A ^{13}C NMR Study of Two Alpha-Picolines	242
SOON NG. Hydrogen Bonding and Hindered Rotation in $\text{CF}_2\text{BrCHFCI}$	244
P. E. HANSEN, J. FEENEY, AND G. C. K. ROBERTS. Long Range ^{13}C - ^1H Spin-Spin Coupling Constants in Amino Acids. Conformational Applications	249
COMMUNICATIONS	
THOMAS J. SIMPSON. Limitations of ^{12}C Labeling in ^{13}C NMR Studies	262
DONALD W. SCHLOSSER, CHARLES A. BURKE, PATRICIA C. JOST, and O. HAYES GRIFFITH. Correlating the Step Size and Number of Steps in Monte Carlo Simulations of Spin Label ESR Spectra	264
D. GUDLIN AND H. SCHNEIDER. Manganese-55 Nuclear Magnetic Resonance Studies of Potassium Permanganate Solutions at 22°C	268
ERRATA	272

NUMBER 3, MARCH 1975

EDITORIAL NOTE	273
CHARLES P. SLICHTER. Some Scientific Contributions of Herbert S. Gutowsky	274
H. S. GUTOWSKY. Chemical Aspects of Nuclear Magnetic Resonance	281
ROBERT J. KURLAND AND ROB G. PARRISH. The Half-Wave Triplet Pulse Sequence for Determination of Longitudinal Relaxation Rates of Single Line Spectra	295
HOMMO T. EDZES. An Analysis of the Use of Pulse Multiplets in the Single Scan Determination of Spin-Lattice Relaxation Rates	301
KAZUYOSHI FUJITA, MASAHIKO SUHARA, AND AKIRA SADÔ. The Calculation of the Temperature Dependence of NQR Frequencies in Chlorine and α -Nitrogen Crystals	314
OTTMAR ROHDE AND O. HAYES GRIFFITH. Anisotropic Motion and Molecular Dynamics of a Dinitroxide Spin Label	324
R. J. HIGHET AND J. M. EDWARDS. Analysis of the Carbon-13 NMR Spectrum of Phenalenone	336
J. M. ANDERSON, F. B. MALLORY, AND C. W. MALLORY, "Spin-Tickling" in Nuclear Magnetic <i>Single</i> Resonance	340

L. J. BURNETT AND C. R. WINTHER. Linear Envelope Detection for Pulse NMR	344
PHILLIP L. DAHLSTROM, RONALD L. HARRIS, AND JAMES L. LOO. A Modified System of Temperature Control for the Varian HA-100 NMR Spectrometer	350
DAVID L. CRONIN, JOHN R. WILKINSON, AND LEE J. TODD. A ^{13}C NMR Study of Isonitrile Transition Metal Complexes	353
FREDERICK W. KING. Relationships for the Computation of Long-Range Proton Hyperfine Coupling Constants Derived from π -Electron Spin Labels	362
H. J. HACKELÖER AND O. KANERT. Determination of Gradient-Elastic Constants Using the Spin-Echo Method	367
CHARLES L. WILKINS, THOMAS R. BRUNNER, AND DAVID J. THOENNES. Experimental Considerations in Automated NMR Relaxation Time Measurements by the Progressive Saturation Method	373
F. HOLUJ AND C. T. KWAN. EPR of Co^{2+} in $\text{Ca}(\text{OH})_2$	381
N. LUMBROSO-BADER, C. COUPRY, D. BARON, D. H. CLAGUE, AND G. GOVIL. Dimerization of Carboxylic Acids. A Vapor Phase NMR Study.	386
M. GOLDMAN. Measurement of Dipolar Energy in Nuclear Spin Systems	393

COMMUNICATIONS

P. M. HENRICHS AND S. GROSS. Are Relaxation Reagents Really Shiftless? Medium Effects on ^{13}C NMR Chemical Shifts	399
F. W. DAHLQUIST, KENNETH J. LONGMUIR, AND RICHARD B. DU VERNET. Direct Observation of Chemical Exchange by a Selective Pulse NMR Technique	406
S. AA. LINDE AND H. J. JAKOBSEN. ^{34}S Isotope-Induced Shift in High-Resolution ^{13}C NMR Spectroscopy	411
K. AKASAKA, S. SHIBATA, T. IMOTO, AND H. HATANO. Simulation of All-Proton Relaxation Curves as a Means to Elucidate Molecular Conformation in Solution	413
ANNOUNCEMENTS AND NEWS ITEMS	417
AUTHOR INDEX	419

Subject Index for Volume 17 will appear in the December 1975 issue as part of a cumulative index for the year 1975.

Information for Authors

The *Journal of Magnetic Resonance* includes original papers, both full articles and communications, dealing with the theory, techniques, methods of spectral analysis and interpretation, spectral correlations, and results of magnetic resonance spectroscopy and related fields. Submission of a manuscript to the *Journal* implies that none of the content has been published or is under consideration for publication elsewhere, except as specifically indicated by the author. The Editor seeks the assistance of expert referees in the evaluation of manuscripts of articles, but he alone is responsible for the final decision concerning acceptance.

Communications are preliminary accounts of work of special importance or contain discussion of controversial subjects. Communications must be especially carefully and concisely prepared; since they may not be refereed, it is the responsibility of the author to ensure that the manuscript as originally submitted is free of typographical or substantive errors. To save time in publication, proofs of communications are not sent to the authors for correction.

Fifty reprints of each paper are supplied without charge, and additional reprints may be ordered on a form which is sent to the author. For articles, the reprint order form accompanies the galley proofs which the author receives. The *Journal assesses no page or publication charges*.

All manuscripts and books for review should be sent to the Editor, Wallace S. Brey, Department of Chemistry, University of Florida, Gainesville, Florida 32601.

Arrangement of the Paper

If the paper is lengthy, it should be divided into sections, although it is preferred that the sections not be numbered. Tables are numbered consecutively with *Arabic* numerals and are to be mentioned in order in the text. Each table should be supplied with a title. Figures are also numbered consecutively with *Arabic* numerals and are mentioned in order in the text. Each regular article requires an abstract which should describe concisely the substantive content, the conclusions reached, and the contributions of the research described. Since the abstract may be used directly by Chemical Abstracts and other abstracting services, it must be self-contained, having no references to formulas, equations, or bibliographic citations which appear in the body of the manuscript.

Literature references are cited in numerical order in the text by *in-line, parenthesized, italic numerals*. References to "unpublished" or "to be published" work from the author's laboratory should not be given. However, dissertations may be cited, or papers actually accepted may be referred to as "in press" if the name of the journal is included.

Authors are urged to give careful thought to the logical construction of the manuscript, so that explanatory or parenthetical footnotes need not be employed—where possible, such material should be incorporated in the text. Any footnotes which are indispensable are not intermixed with references, but are indicated in the text by consecutive, superscript numerals, and each footnote will then appear in print at the bottom of the page on which it is cited. Equation numbers are given in *square* brackets to the right of the equation, and references in the text to equations should be in the form "Eq. [3]."

Form of Manuscript

Manuscripts should be submitted in triplicate. The *original typewritten copy* should be supplied; mimeo, electrostatic, and similar process reproductions are not usually sufficiently clear. All of the typing must be *double-spaced*, including that of abstract, references, and footnotes, on one side of good quality paper approximately 22 × 28 cm (8.5 × 11 in.) in dimensions. The first line of each paragraph is indented.

Each page of the manuscript should be numbered. The first page contains the article title, the author's name, and affiliation. At the bottom of this page should appear any footnotes to the title (indicated by superscript *, †, ‡); the number of manuscript pages, figures, and tables should also be noted. The second page should contain the abstract of 50–200 words and a proposed running head (abbreviated title) of less than 42 characters.

Symbols and Abbreviations. The American Chemical Society's Handbook for Authors, 1967 edition, or the Style Manual of the American Institute of Physics should be followed for standard abbreviations, names and symbols for units. Mathematical equations or symbols must be typewritten whenever possible. Greek letters may be identified in pencil in the margin. The author of any manuscript in

which there are mathematical equations or symbols is urged to supply a list of these on a separate sheet for the assistance of the printer in selecting the proper type. The list will not appear in print.

References and Footnotes. References to the literature should be cited in order in the text by in-line, parenthesized numerals. The references themselves are to be typed double-spaced on a separate sheet in numerical order. Each reference contains the author's initials, last name, journal name, volume, initial page number and year in parentheses, *in that order*. The name of the journal is abbreviated in the style of Chemical Abstracts' *Service Source Index* (1969 Edition). For book references, the form is author's name, name of the book in quotation marks, editor's name (if any), edition if other than the first, chapter or page number, publisher's name, place of publication, and year of publication.

Any footnotes which are included are numbered in a sequence separate from the references and must be typed in the manuscript on a separate page.

Tables. Tables should be laid out carefully, so that minimum space is used and entries are accurately grouped and clearly labeled. Usually, a table should be arranged vertically, with more rows than columns. Vertical lines are not used to separate the columns. Each table is numbered with an Arabic numeral, provided with a title, and typed on a separate sheet of paper. Footnotes to the table are placed directly below it and are indicated by superscript, lower-case, italic letters (^a, ^b, ^c). Tables that are longer than two manuscript pages will be reproduced photographically, and should therefore be typed in the exact form desired. All such tables should be carefully checked since errors cannot be corrected in proof.

Figures. Figures must be carefully drawn in black, waterproof drawing ink, to draftsman's standards, with lettering by stencil or drawing machine. Freehand, penciled, or typewritten lettering is not acceptable. Lettering should include numerical scales and units required for the two axes, and should be large enough to be legible after reduction by 50–60%. The illustration copy should be on sheets of the same size as that on which the manuscript is typed. Smaller figures may be mounted on sheets of the required size, and larger originals may be handled by supplying glossy, high-contrast, photographic reductions. The original and two duplicates of each figure are required.

Diagrams. Ink drawings should be supplied for any complex molecular formulas or diagrams involving material which the printer cannot readily set in type.

Proofs. Galley proofs will be sent to the author with reprint order forms. Fifty reprints of each article will be supplied free of charge.